

About Us 关于我们

About Us 关于我们..... 01

Floors 场地

Cheerleading Floor 啦啦操场地 ..... 05  
Rhythmic Floor 艺术体操场地 ..... 07  
Aerobic Floor 健美操场地 ..... 09

Trampoline 蹦床

Trampoline 比赛蹦床 ..... 13  
Double Mini-tramp 双蹦床 ..... 15  
Tumbling track 单跳板 ..... 17  
Various Trampolines 训练类蹦床 ..... 19  
Accessories 配件 ..... 25

Gymnastics Artistic 竞技体操

Floor 自由操场地 ..... 33  
Vaulting Table 跳马 ..... 35  
Horizontal Bar 单杠 ..... 43  
Parallel Bars 双杠 ..... 46  
Pommel Horse 鞍马 ..... 50  
Buck 山羊 ..... 53  
Rings 吊环 ..... 56  
Uneven Bars 高低杠 ..... 59  
Balance Beam 平衡木 ..... 61  
Landing Mats 落地垫 ..... 65  
Training Equipment 辅助器材 ..... 69

Equipment for Kids

趣味体操

Equipments for Kids

快乐体操器械 ..... 75

Inflatable Products

充气类产品

AirTracks

充气垫 ..... 89

Paddle board

桨板 ..... 93

# About us

## 关于我们



Zhejiang Sporting Goods Co, Ltd. stands as a strong force and plays a vital role in China's Sports Industry. The company was founded in 1998 by the world Acrobatics champion Mr. Huang Yongjun, beginning with producing trampoline jumping beds. With more than 20 years of product development, "Gaofei Sports" has become a world-renowned sports brand. Gaofei's product line includes:

- Gymnastics artistic.
- Rhythmic gymnastics.
- Trampoline.
- Training equipment.
- Equipment for kids.
- Extreme sports equipment.

Gaofei's headquarter is located in Zhejiang, Huzhou. It has a production base of 51,00 square meters and has a sales network in more than 200 countries and regions worldwide. Gaofei has developed into one of the best gymnastic equipment production companies in China, now an all-categories gymnastic equipment supplier and competition services provider. Gaofei has always strived to serve the top competition in the world to build an industry-leading company. For the past decade, team Gaofei has successfully served many world-class gymnastic competitions such as

- The 2020 London Olympic Game,
- 2014 Nanjing Youth Olympic Games,
- Birmingham Trampoline World Championships,
- The 12th, and 13th Chinese National Games,
- The first and second Chinese Youth Games.

Brand "Gaofei" has set a benchmark in the industry with its sustainable and excellent product performance and extraordinary services. It also breaks the decades of gymnastic equipment supply monopoly from the Western brands.

Gaofei is a brand that was empowered by the "champion genes" and driven by technological innovation. Gaofei represents a provincial high-tech enterprise unit, a Zhejiang science and technology enterprise, a sports product standard formulation and revision unit of the National Sports Goods Standardization Technical Committee, and a designated inspection unit Sports Goods Quality Supervision and Inspection Center. Cooperate with universities to establish a demonstration base for industry-university-research cooperation and have independent R&D testing laboratories. The full range of competitive gymnastics equipment and competition trampoline equipment of Gaofei has obtained dual certifications from the International Gymnastics Federation (FIG) and Beijing National Sports Century Quality Certification Center (NSCC). Gaofei is taking the "National Fitness Program" as an opportunity following the "National Fitness Program" strategy. Gaofei has always kept in mind the mission of "Integrate sports into people life," and will build solution advantages in the fields of competitive sports, national fitness, campus sports, etc., and provide customers with various sports events and, general public and youth to create diversified use scenario solutions, derive business models, enrich sports service content, integrate the industrial chain, and strive to create a "new sports consumption ecosystem." In promoting the high-quality development of the sports industry, we will contribute to helping China become a top sporting and healthy nation.

浙江金耐斯体育用品有限公司作为中国体育行业的重要力量，1998年由世界冠军黄拥军先生创立。从缝制蹦床网面起步，历经20余年，形成了国内外知名的“高飞”品牌，产品涉及竞技体操器材、艺术体操器材、快乐体操器材、竞技蹦床器材、极限运动器材及各类训练辅助装备。公司总部设在浙江湖州，建有51000平方米的生产基地，在北京、华盛顿设立有办事处，销售网络遍布全球200多个国家和地区。金耐斯已经发展成为全国最专业的全品类体操器材提供商和解决方案服务商。

以顶级赛事为先导，打造一流民族品牌。多年来，金耐斯成功服务伦敦奥运会、南京青奥会、伯明翰蹦床世锦赛、第十二、十三届全运会、第一、二届青运会等国内外重大赛事。民族品牌“高飞”稳定出色的器材性能表现，专业高效的赛事服务品质征服赛场，树立业内标杆，打破欧美体操品牌数十年的垄断。

以科技创新为动力，冠军“基因”赋能产品。金耐斯是省高新技术企业单位、浙江省科技型企业、全国体育用品标准化技术委员会体育用品标准制修订单位、国家体育用品质量监督检验中心定点检验单位。与高校合作建立产学研合作示范基地、拥有独立的研发检测实验室。金耐斯全系列竞技体操器材和比赛蹦床器材获得国际体操联合会（FIG）、北京国体世纪质量认证中心（NSCC）双认证。

以全民健身为契机，推进品牌再升级。随着全民健身上升为国家战略，金耐斯始终牢记“让运动融入每个人的生活”的使命，将在竞技体育、全民健身、校园体育等领域构筑解决方案优势，为各类赛事客户、社会大众和青少年打造多元化的使用场景解决方案，衍生商业模式、丰富体育服务内容，整合产业链，全力打造“体育消费新生态圈”。在推动体育产业高质量发展的浪潮中，为建成体育强国和健康中国的目标做出应有贡献。



# Floors 场地

- Cheerleading Floor  
啦啦操场地
- Rhythmic Floor  
艺术体操场地
- Aerobic Floor  
健美操场地







1017-L

### Cheerleading Floor

The size is 1600 x 1600cm, the performance area is 1300 x 1300cm, and the carpet is laminated with 8 rolls of 16 x 2m XPE foam.

### 啦啦操场地

外围尺寸1600×1600cm，比赛区域为1300×1300cm，由8条16×2m的特制泡沫材料贴合专用无纺地毯，环保安全。贴合工艺为无胶水高温热贴，每条之间用粘扣连接，总厚度为4cm。



1101

### Rhythmic Floor

FIG approved.  
Size: 1400 × 1400cm, performance area: 1300 × 1300cm, sideline width is 50mm; height is about 6.5cm, the surface is nylon carpet, cream yellow, and the bottom plate is birch plywood.

### 艺术体操场地

国际体联认证。  
尺寸：1400 × 1400cm，比赛区域：1300 × 1300cm，边线宽度为50mm；高度为6.5cm，表面为尼龙地毯，乳黄色，底板为桦木胶合板。

型号	外围尺寸	比赛区域尺寸	FIG认证	NSCC认证
1101	14x14m	13x13m		

1101-1

### Carpets for rhythmic floor

Dimensions:1400X1400cm, nylon carpet

### 艺术体操场地地毯

总尺寸:1400X1400cm, 乳黄色专用尼龙地毯。





1301

### Sports Aerobic Floor

Size is 1200 × 1200cm, the performance area is 1000 × 1000cm and 700 × 700cm ;

The surface is made by birch plywood with thickness 15mm, a total of 96 pieces; special elastic materials are installed at the bottom of the plywood to ensure standard elasticity and shock absorption performance; the total height of the floor is 75mm.

### 健美操场地


尺寸为1200 × 1200cm，比赛区域1000 × 1000cm和700 × 700cm的区域；表面为桦木胶合板，厚度为15mm，共96块；板底部安装特殊弹性材料以确保标准的弹性和减震性能；场地总高度为75mm。





# Trampoline 蹦床

- Trampoline  
蹦床
- Double Mini-Tramp  
双蹦床
- Tumbling Track  
单跳板







Competition  
专业比赛用

1071-4 | 1071-5

### Complete Competition Trampolines

FIG approved, dimension 910x305x115 cm, with safety tables, mats, and one pair lifting roller stands, extra leg brace 118 springs.

#### 比赛蹦床全套

国际体联FIG认证, 通过北京国体世纪体育用品质量认证中心(NSCC)认证。总尺寸: 910 × 305 × 115cm。网面由尼龙织带缝制而成; 配有弹簧118根, 其中8根是安装在四角的大弹簧; 配有可升降的移动车一对; 主架弹簧上面有一层5cm保护垫覆盖四面的弹簧, 通过魔术贴固定在蹦床框架上, 该垫子高于弹簧5厘米以上; 附架上配有20cm厚的保护垫。

1072-6 | 1072-5

4 × 4 mm | 4 × 5 mm



Training  
辅助训练

1071 | 1151

### Complete Trampolines


Dimension: 910x305x115 cm, with safety tables, mats, and one pair lifting roller stands, extra leg brace 118 springs.

#### 蹦床全套

配4\*6mm尼龙网面, 可选配6\*6mm尼龙网面。910 × 305 × 115cm 弹簧118根, 可升降移动车, 主架与附架上均有保护垫。

1072 | 1072-3

4 × 6 mm | 6 × 6 mm



Competition  
专业比赛用



1152-1 | 1152-2 | 1152 | 1153


### Main Frame

Dimension: 518x305x115 cm, with one pair lifting roller stands, without safety tables and mats, extra leg brace

#### 比赛蹦床主架

总尺寸: 518 × 305 × 115cm。网面由尼龙织带缝制而成; 配有弹簧118根, 其中8根是安装在四角的大弹簧; 配有可升降的移动车一对; 主架弹簧上面有一层5cm保护垫覆盖四面的弹簧, 通过魔术贴固定在蹦床框架上, 该垫子高于弹簧5厘米以上。

REF NO 产品编号	Type 类型	Dimension 尺寸 (毫米)	eds 可配网面	Springs 可配弹簧
1152-1	Complete Competition Trampolines 比赛蹦床全套	518 × 305 × 115	1072-5	1076
1152-2			1072-6	
1152	Complete Trampolines 蹦床全套	518 × 305 × 115	1072	1076
1153			1072-3	



1158 ▶ P25

Jumping Bed  
网面

1096-P ▶ P26  
1097

Spring  
可选弹簧

1096

### Double mini-tramp

FIG approved. Competition standard Jumping bed 285 x 92 cm, made by 6\*6mm nylon webbing. frame 340x 190 x (70+45) cm, with roller stands.

### 双蹦床

国际体联FIG认证, 架体尺寸340 × 190 × (70+45)cm, 网面尺寸285 × 92cm, 网面织带6 × 6mm, 配有一对移动小车。

1098

### Run up

Dimensions: 2000 × 100 × 2.5cm.  
Made of anti-slip carpet laminated P-foam.

### 双蹦床助跑道

尺寸为: 2000 × 100 × 2.5cm. 由防滑地毯热帖XPE材料构成。

1098-1

### Side mat of Double Mini-tramp

Dimensions: 200 × 100 × 20 cm. PU foam with PVC vinyl cover.

### 双蹦床落地区侧边保护垫

总尺寸: 200 × 100 × 20 cm. 涂塑布外罩, 内衬为海绵。用于双蹦床落地区两侧的落地保护。

1098-2

### Landing area of Double Mini-tramp

Dimensions: 300 × 600 × 30 cm. with landing mark 400\*200cm.

### 双蹦床落地区

尺寸: 300 × 600 × 30 cm. 由3块300 × 200 × 30cm的落地垫组成, 表面有一张 200 × 400cm PVC分色盖单用于区分落地得分区域。





Competition  
专业比赛用



1008-3

Supplementary mat  
落地软垫



Mark Cover  
分色盖单



1008-4

Landing area  
落地垫

落地区：600 × 300 cm


Main track

跳跃区：2520 × 200 cm

Run up

助跑区：1100 × 100 cm

five 2m + one 1m wood boxes  
5个2米木箱 1个1米木箱



1088

## Complete Tumbling

FIG Approved. Size:4220 X 200X30cm, the main runway composed of fiberglass rods. Run-up area 1100x100cm. Landing Zone: 300x600x30cm.Including 1 of supplementary mat: 400x200x10cm

### 单跳板

国际体联FIG认证，通过北京国体世纪体育用品质量认证中心(NSCC)认证。总尺寸：4220 × 200 × 30cm(助跑区1100 × 100cm，跳跃区2520 × 200cm，落地区600 × 300 × 30cm)。助跑区由5个2米木箱和1个1米木箱构成；跳跃区由21个120X200cm的跳跃节构成，跳跃节主体为玻璃钢矩形棒；落地区由3块200X300X30cm的落地垫和一块有颜色区分的落地区盖单构成。助跑区和跳跃区上铺尼龙地毯和特制泡沫材料。



### P foam rolls XPE面层

P-foam laminated carpet.  
面层为XPE泡棉，热贴无纺地毯。

REF NO 产品编号	Length 长度	Width 宽度	Thickness 厚度	(mm) (毫米)
1090	2520	200	6.5	
1090-1	2520	200	3.5	
1090-2	2520	200	3	


### Fiberglass pipe 单跳板矩形管

Dimension 2.8 X 2.5cm.  
Fiberglass material

REF NO 产品编号	Length 长度	Width 宽度	Thickness 厚度	∅(mm) (毫米)
1088-F1	2.8	2.5	0.3	



Training  
辅助训练



1079

### Mini Trampoline


Frame 126x126 cm, Jumping bed 70x70 cm, 6x6mm nylon web bed Frame Pads, 40 springs

#### 小蹦床

框架尺寸126×126cm，主体材料为圆管，外表镀锌处理。架体高度可调，范围为36cm-48cm，网面尺寸70×70cm，网面织带6×6mm，配有40根专用弹簧。面垫厚度3cm。



Training  
辅助训练



N806

### Mini Trampoline

Frame size 110cm\*110cm, the height of the frame is adjustable, the jumping bed size is 60\*60cm, equipped with 32 springs.

#### 小蹦床

框架尺寸110cm\*110cm，架体高度可调，网面尺寸60\*60cm，配有32支弹簧。



Training  
辅助训练

1145 ▶ P25

Jumping Bed  
可选网面



1079-1

### Mini Trampoline

Frame 126 × 126cm, jumping bed 70 × 70cm, 6x6mm nylon web bed, 40 springs

#### 小蹦床

斜边型，双支撑杆。126×126cm，网面70×70cm，网面织带6×6mm，弹簧40根。架体高度单边可调，高端45cm-48cm，低端高度25cm不可调节。



Training  
辅助训练



1150
1150-1
1152-4-P
1163

1079-2

### Open-End-Mini-tramp

Frame size 120 × 120cm, Jumping bed 70x56 cm, made by 13x13 mm nylon webbing, equipped with 32 springs

#### 开口蹦床

120 × 120cm，高度可调，网70 × 56cm，网面织带13 × 13mm。弹簧32支，底脚可折叠。



Training  
辅助训练



1095

### Open-End-Mini-tramp

6x6mm nylon jumping bed, frame pads, Length: 140cm, Width: 130cm, Net: 90x64 cm, Height adjustable between 40 and 60cm, 28 springs, foldable

#### 开口蹦床

140 × 130cm，高低可调40-60cm，网97 × 69cm，网面织带6 × 6mm，弹簧28根，底脚折叠。



Training  
辅助训练



1081

### Vault Trampoline

Imitating the curvature of the springboard, Frame size 136X100cm, one side height adjustment, range 27-34cm, the jumping bed size 93X57cm, total 52pcs of spring.

#### 跳板型小蹦床


框架尺寸 136X100cm，一端贴近地面，另一端高度可调，可调范围为 27-34cm，网面尺寸 93X57cm，共52支弹簧。



Competition Mode  
青少年比赛专用

1073-6 ▶ P25  
1073-12  
1083

Available Jumping Bed  
可选网面



1159

### Master Trampoline

457 × 275 × 97cm, 13x13mm nylon jumping bed, with one pair lifting roller stands.


#### 马斯特蹦床

457 × 275 × 97cm, 网面织带13 × 13mm, 配可升降移动车, 主架弹簧上面有一层3cm保护垫覆盖四面的弹簧, 该垫子高于弹簧5厘米以上。



Training  
辅助训练

1145 ▶ P25  
1081-1



1086

### Trampoline Track


Length 2000 cm, length of each section 200cm. width 200cm, height 59cm, width of jumping bed 140cm, (Other lengths can be customized) Available Jumping Bed ( nylon web bed、black fabric )

#### 长蹦床

长2000cm, 单节长度200cm, 宽度为200cm, 离地高度59cm。网面宽度为140cm, (其他长度可定制。) 可选网面(尼龙网面、黑色PP网面)



Training  
辅助训练



1087

### Trampoline Track

Length 2000 cm, length of each section 200cm. width 200cm, height 59cm, width of jumping bed 140cm, (Other lengths can be customized) Available Jumping Bed ( nylon web bed、black fabric )

#### 长蹦床

长2000cm, 单节长度200cm, 宽度为200cm, 离地高度59cm。网面宽度为140cm, (其他长度可定制。) 可选网面(尼龙网面、黑色PP网面)



Training  
辅助训练



1216

### Diving Trampoline


Dimension: 700 × 350 × 150cm, 13x13 mm nylon jumping bed

#### 跳水蹦床

700 × 350 × 150cm, 尼龙织带网面13 × 13mm, 机械缝制, 架体钢制扁圆管。不使用金属弹簧, 配有56根橡胶圈作为弹性系统。



Training  
辅助训练



### Ground Trampo line

The specific size is custom made according to the customer's site.

#### 地蹦床

尺寸按照客户场地条件特制。





1075

### Kids Trampoline

Length 220cm, width 90cm, height 22.5cm, dimension of jumping bed in working is length 194cm, width 64cm.

### 儿童蹦床

总体尺寸220X90X22.5cm，蹦床网面张力状态下尺寸194X64cm，进口黑纱网。



1078

### Kids Trampoline

Length 295 cm, width 183 cm, height 60 cm, dimension of jumping bed in working is length 235 cm, width 123cm.

### 儿童小蹦床

总体尺寸295\*183\*60cm，网面张力状态下尺寸235X123cm，采用66型织带网。

### Jumping Bed 蹦床网面

- Most of beds are 100% beded in nylon for added safety and durability
- 材质为尼龙织带



REFNO 产品编号	Type 类型	Length 网面长度	Width 网面宽度	Ø(mm) (毫米)
1072-6	4 × 4 mm	428	214	
1072-5	4 × 5 mm	428	214	
1072	4 × 6 mm	428	214	
1072-3	6 × 6 mm	428	214	
1073-1	13 × 13 mm	428	214	
1148-1	13 × 13 mm	580	230	
1158-2	13 × 13 mm	366	183	
1158	6 × 6 mm	285	92	
1145	6 × 6 mm	70	70	
1150	6 × 6 mm	97	69	
1082	绳网	428	214	
1083	绳网	366	183	

### Trampoline Spotting Mat 蹦床专用推垫

- A layer of 5 cm above the main spring, above the main spring
- 表面帆布面料，底部为防滑人革，采用25倍优质海绵

REFNO 产品编号	Type 类型	Length 长度	Width 宽度	Thick ness 厚度	Ø(mm) (毫米)
1154	Training 辅助训练	150	100	8	
1154-1	Professional 专业比赛	170	110	10	

### Trampoline Spring 蹦床弹簧

- A layer of 5 cm above the main spring
- 材质为碳素弹簧钢，镀锌

REFNO 产品编号	Type 类型	Length 长度	Diameter 直径	Wire Diameter 钢丝直径	Amount 数量
1076	a	257	29	3	110
	b	253	40	4	8
1097	a	229	29	3.07	98
	b	253	40	4	4
1076-5		256	30	3.07	
1076-3		253	40	4	
1096-P		229	29	3.07	
1215		183	30.5	3.8	
1148		185	32	3.5	
1145-1		185	32	3.5	

1008-3

### Supplementary mat of tumbling track 落地软垫

Competition standard, Dimensions: 400 × 200 × 10 cm, PU foam.

符合国际体联 (FIG) 标准，通过北京国体世纪体育用品质量认证中心(NSCC)认证。25倍聚胺脂海绵，面层为高强PVC夹网布，面层为高强PVC夹网布，面层有颜色区分。尺寸400 × 200 × 10cm。

1008-4

### Landing area of tumbling track 落地垫

Dimension: 600 × 300 × 30cm

符合国际体联 (FIG) 标准，通过北京国体世纪体育用品质量认证中心(NSCC)认证。25倍聚胺脂海绵，面层为高强PVC夹网布，尺寸600 × 300 × 30cm，垫子与垫子之间采用雌雄扣连接，3块连接。

### Padding Lift 扭簧

FIG approved 0.5 × 40.7cm

通过国际体联认证，材质为碳素弹簧钢，弹簧规格为：0.5 × 40.7cm。

REFNO 产品编号	Type 类型	Length 长度	Diameter 直径	Wire Diameter 钢丝直径	Ø(mm) (毫米)
1076-4		407			




1153-1

### Trampoline Safety Table 蹦床辅架

Trampoline safety table without safety mats, Dimension:  
260x176x115cm

国际体联FIG认证，配套用与蹦床主架，含黑纱网。不含保护垫。  
260 × 176 × 115cm。




1205

### Safety Mats 蹦床辅架保护垫

Dimension: 300 × 240 × 20cm

FIG认证产品配件，与1153-1 蹦床辅架配套，  
与1153-1配套，300 × 240 × 20cm，含三角垫。




1208

### Wooden floor protector 蹦床底脚防滑板

Dimension: 40 × 30 × 3.5cm

放在蹦床的底部防滑和保护地板的，采用胶合板和橡胶垫制成，尺寸  
为：40 × 30 × 3.5cm。



1152-P

### Trolley 移动车



1207

### Frame for safety belt 蹦床保护架

Height 670cm, spanning over trampoline, fitted with pulley,  
rope and spotting belt.

专用于蹦床安装保护带的高架，高度670cm，配有滑轮组，保  
护绳，单轴保护腰带，架体是钢管制成，外表电镀处理。



1154-1 1154 ▶ P25


### Trampoline Spotting Mat 蹦床专用推垫

Dimension: 170 × 110 × 10cm

Dimension: 150 × 100 × 8cm


尺寸170 × 110 × 10cm，表面帆布面料，底部为防滑人革，采用  
25倍优质海绵。

尺寸150 × 100 × 8cm，采用25倍优质海绵。




1156-1

Ground mats for one set trampoline  
单套组合地面垫



1156-2

Ground mats for two sets trampoline  
两套组合地面垫



REFNO 产品编号	Type 类型	L x W x H (mm) 长x宽x厚(毫米)	mount 数量	Area(m <sup>2</sup> ) 总面积(平方米)	Velcrobib 搭扣位置	L 长	W 宽
1156-1				64			
3005	For one set trampoline	200 x 200 x 20	4			●	
3006	单套组合地面垫					●	●
3007		300 x 200 x 20	8			●	
1156-2				102			
3009	For two sets trampoline					●	
3010	两套组合地面垫	300 x 200 x 20	17				●
3011						●	
1156-2							
3009	For four sets trampoline					●	
3010	四套组合地面垫	300 x 200 x 20	34	204			●
3011						●	



## Gymnastics Artistic 竞技体操

- Horizontal Bar  
单杠
- Parallel Bars  
双杠
- Rings  
吊环
- Pommel Horse  
鞍马
- Uneven Bars  
高低杠
- Balance Beam  
平衡木
- Vaulting Table  
跳马
- Floor  
自由操





1017-2 | 1017-1

### Floor

FIG approved.

Size is 1400 × 1400cm, performance area is 1200 × 1200cm; The surface is made by special nylon carpet.

A flexible layer in the middle, made by foam puzzle mat, which can be spliced with each other. Each mat with size 200 × 100cm, 5.5cm thickness.

The bottom plate is birch plywood with a thickness of 1.3cm, installed steel springs with height 11cm, they are connected each other by aluminum connector, and the external whole is locked with tighten strips.

### 自由操场地

FIG认证。尺寸为1400 × 1400cm，比赛区域1200 × 1200cm；面层为特制尼龙地毯，含3条1200 × 400cm的乳黄色地毯及4条1300 × 100cm的蓝色边毯。中间层为柔性层，其外围形状为锯齿状缺口，可相互拼接，尺寸约为200 × 100cm，厚度为5.5cm，共98块；底板为桦木胶合板，厚1.3cm，板底部安装有金属弹簧，高度约为11cm，板和板之间用铝合金嵌条连接，外部整体用拉紧带装置锁紧。



1213

Size is 1400 × 1400cm, performance area is 1200 × 1200cm; The surface is made by P foam laminated with carpet. A flexible layer in the middle, made by foam puzzle mat, which can be spliced with each other. Each mat with size 200 × 100cm, 5.5cm thickness. The bottom plate is birch plywood with a thickness of 1.3cm, installed steel springs with height 11cm, they are connected each other by aluminum connector, and the external whole is locked with tighten strips.

### 自由操场地

尺寸为1400 × 1400cm，比赛区域1200 × 1200cm；面层为XPE热贴无纺地毯，厚度为2.5cm，中间层为柔性层，其外围形状为锯齿状缺口，可相互拼接，尺寸约为200 × 100cm，厚度为5.5cm，共98块；底板为桦木胶合板，厚1.3cm，板底部安装有金属弹簧，高度约为11cm，板和板之间用铝合金嵌条连接，外部整体用拉紧带装置锁紧。



Competition  
专业比赛



1119-1 1119-2 ▶ P40

Anti-slip Mat for Springboard  
助跳板及跳马防滑板

1027 ▶ P41

Supplementary mat  
独腿跳马平台落地软垫

1012 ▶ P37

Vaulting Table  
独腿跳马平台

1012-1 ▶ P41

Safety Mat  
保护块

1034 ▶ P67

Landing zone  
跳马专项垫

1119 ▶ P42

Protector  
助跳板保护块

1146

Run way  
跳马跑道





Competition  
专业比赛



1012

### Vaulting Table

FIG approved.

The height of the vaulting table is adjustable, range is 105~135cm, and the width of the table is 95cm. There is a safety cover made of PU foam on the outside of the lifting column.

### 独腿跳马平台

FIG认证。

平台高度可调，调节范围为105~135cm，平台宽度为95cm，主要材料为胶合板，特制泡棉，弹簧，PU人造革。升降立柱外面包有海绵制成的护垫。



Training  
辅助训练



1056

### Vaulting Table trainer

The training equipment is used for the auxiliary practice of the vaulting table. Height is 40cm~130cm and width of the table is the same as the competition vaulting table. The combination of wooden boxes with different heights can easily adjust the height of use.

### 高弹跳马平台

训练设备，用于跳马项目的辅助练习，高度40cm~130cm，平台宽度与竞赛vaulting table一致，下方不同高度的木箱组合可以简便的调节使用高度。



Training  
辅助训练



1149

### Foam Vaulting Table

Training equipment for the vault table, vinyl cover and PU foam inner, the length is 120cm, the width is 95cm, and the height can be adjusted, the highest up to 135cm. It has an approximate top surface curvature and marking line with the competition vaulting table.

### 泡沫跳马

跳马项目辅助训练器材，外罩为涂塑布，内为PU泡棉，长120cm，宽度95cm，高度可调节，最高135cm。与竞赛跳马有近似顶面弧度与标记线。




Training  
辅助训练





Spring arrangement  
底座弹簧分布

1067



1141



1067

### Springboard (Hard version)

FIG approved.  
120x60x22 cm, with 8 HDI tapered springs

### 硬助跳板

国际体联FIG认证。使用优质多层胶合板制作，整体尺寸120×60×22cm，表面覆盖碳纤维膜。板下有8根高强弹簧，可拆卸以调节弹性强度。

1141

### Springboard(Soft version)

FIG approved.  
120x60x22cm, with 5HDI tapered springs

### 软助跳板

国际体联FIG认证。使用优质多层胶合板制作，整体尺寸120×60×22cm，表面覆盖碳纤维膜。板下有5根高强弹簧，可拆卸以调节弹性强度。



1119-1

### Support board for springboard 助跳板防滑底板

Dimension: 310x100x3cm.

Made by high-quality plywood. The upper is non-slip carpet, and the bottom equipped with non-slip leather, cover vaulting table and springboard area.

跳马训练和比赛配件，尺寸为：310×100×3cm，主体材料采用优质胶合板制作，底部配有防滑人革，上部防滑地毯，铺设满跳马和助跳板两个区域。

1012-1

### Safety Mat 独腿跳马底座保护块

It is used to cover the metal feet of the vaulting table to ensure the safety of use. Made of PU foam and PVC vinyl, thickness 20cm.

跳马训练和比赛防护专用，用于盖住跳马底脚的金属部分，增加使用安全性。由海绵和涂塑布制成，厚度20cm。



1049

### Hand Mat for Vaulting Table 跳马撑手垫

dimensions 118 × 98 × 3cm

用于跳马的训练和比赛，放在运动员手上板的动作的地面撑手区，尺寸为：118 × 98 × 3cm，由压缩海绵和空气棉缝制而成，底部是防滑面料。



1027 1118

### Supplementary mat 跳马平台落地软垫

dimensions 600 × 200 × 10cm made by PU foam and PVC vinyl, with landing area mark specified by FIG.

符合FIG标准，内衬为25倍聚胺脂海绵，面层为涂塑布，顶面有颜色区分和标记线。  
尺寸600 × 200 × 10cm。




1119

### Springboard Protector 助跳板保护块

The protective equipment for the vaulting table, in line with the FIG standards/Mady by P foam and PVC vinyl. Size is 120x100x20cm

跳马训练和比赛防护用品，符合国际体联标准，内衬为XPE泡棉，面层为涂塑布，尺寸120 × 100 × 20cm，保护块的顶面弧度与助跳板一致，中间呈凹型以容纳助跳板。








1005

Horizontal bar



Competition  
专业比赛



1005

FIG approved.

Equipped with a stainless steel bar with a diameter of 2.8cm, the center distance of the columns is 240cm, and the surface is electrostatically sprayed. The height of the bar is adjustable, the adjustment range is 270~290cm, it can be easily adjusted by the matched quick tensioner.


比赛单杠

FIG认证。

配有直径为2.8cm的不锈钢杠面，立柱的中心距为240cm，外表静电喷涂处理。杠面高度可调，调节范围为270~290cm，可以通过匹配的快速松紧器便捷的调节杠面的高度。



Training  
辅助训练



1006-1

Training Horizontal Bar

Equipped with a stainless steel bar with a diameter of 2.8cm, the center distance of the columns is 240cm, and the surface is electrostatically sprayed. The height of the bar is adjustable, the adjustment range is 180~230cm.

少年单杠

配有直径为2.8cm的不锈钢杠面，立柱的中心距为240cm，外表静电喷涂处理。杠面高度可调，高度调节范围：180~230cm。

1028

Steelrail  
单杠杠面

The stainless steel bars have a total length of 246cm, the center distance of 240cm and a diameter of 2.8cm.

不锈钢杠面，杠总长246cm，杠面中心距为240cm，直径为2.8cm。



1110

Quick tensioner  
快速松紧器

Used to quickly tighten or loosen the steel cables to facilitate adjust the height of equipment or is assembly and assembly.

单杠、高低杠和吊环器材配件，用于快速拉紧或放松这些设备的拉紧钢缆，以方便调节器械的高度和拆装器械。





1108

Safety pads  
单杠架体保护套

Used to cover the surface of the horizontal bar column to prevent athletes from bumping hurt. length 200cm, bottom width 51 cm, top width 33cm .

单杠防护用垫子，软性材料包住立柱的金属部分，防止运动员使用过程中碰到立柱而受伤，表面为涂塑布，内衬为XPE泡棉，长度为200cm，底部宽51cm，上部宽33cm。





1038

多功能单杠（成人款）高度可调范围150-280cm

1038-2 多功能单杠（少年款）高度可调范围150-230cm

Quick Release Horizontal Bar (For Adult) Height adjustment range 150-280cm

Quick Release Horizontal Bar (For Adult) Height adjustment range 150-280cm

150-230cm

The horizontal bar has a wide range of height adjustment, and the horizontal bar and uneven bars both can be easily to install and use.

Equipped with high-quality stainless steel bar and rotating sleeve, the bar diameter is 2.8cm with center distance 240cm, convenient to replace the bar and adjust height without disassembling the frame by quick tensioner.

该款单杠具有高度调节范围大、并可以简便的交替更换单杠和高低杠杠面以适应不同的训练项目的特点。配有优质不锈钢杠面及杠面旋转套，杠面直径2.8cm,杠中心距为240cm，另配有快速松紧器，便于更换杠面及调节使用高度，不需要拆卸架体。



1038-2

### Quick Release Horizontal Bar

For junior, height adjustable between 150 and 230cm, distance between uprights 240cm, diameter 2.8cm

### 少年多功能单杠

青少年用单杠辅助训练器材，具有高度调节范围大和可以配高低杠杠面的特点，配有优质不锈钢杠面，直径2.8cm，杠中心距240cm，杠面高度可调150-230cm。配有快速松紧器，便于更换杠面、调节高度不用拆卸架体，还配有旋转套。



Competition  
专业比赛

1001-1

### Parallel Bars

FIG approved.

Equipped with a specially strengthened beech wood bar, a safety steel cable is pressed to the bar inner to increase its safety performance, the bar length is 350cm;

The distance between the two bars is adjustable, the range is 37-65cm; the height of the bar adjustment range is 165-210cm;

The bottom of the parallel bars is equipped with counterweight feet to enhance stability;


Supporting columns, foot and counterweight feet are treated by electrostatic spraying.

### 双杠

FIG认证。

配有特殊加强的榉木杠面，其纵轴心压有安全钢缆，长350cm；两杠间距可调，可调范围为37-65cm；杠面高度可调，调节范围为165-210cm；双杠底部配有加强稳定性的配重脚；其支撑立柱、底脚杆及配重脚等部分金属外管静电喷涂处理。

 Training  
辅助训练



1003

### Junior parallel bars

Training parallel bars for teenager, the bar length 270cm, two bars adjustable range 27-55cm, height adjustable range 125-165cm, made of glass fiber with wooden veneere, use handle to adjust and lock.

### 少年双杠

青少年训练设备，杠长270cm，两杠间距可调范围27-55cm，高度可调范围125-165cm，杠面为玻璃钢管外包有高耐磨木页；架体钢管外表喷塑，采用手柄式调节和锁紧装置。

 Training  
辅助训练



1001-2 | 1001-3

### Low bars

Training equipment of Parallel bars, the bar made of fiberglass with wooden veneer, the length is 350cm, the distance between the two bars can be adjusted in the range of 27-55cm, and the total height is 40cm.

### 低双杠

低双杠 双杠辅助训练设备，杠面为玻璃钢管外包有高耐磨木页，杠长350cm，两杠间距可调范围27-55cm，总高40cm。

1001-2

杠长350cm

1001-3

杠长270cm

1001-4

### Training Blocks for Parallel Bars

Training equipment for parallel bars, also be used for training protection. It is composed of two boxes with outer flexible layers. The size of each box is 38 x 50 x 120cm.

The distance between the two boxes is adjustable, the range is 40cm-80cm.

### 双杠辅助训练器双杠辅助训练器

双杠辅助练习设备，也可用于训练保护。由两个外包柔性层的箱体组成，单箱体尺寸：38 x 50 x 120cm。两个箱体间距可调，可调范围为40cm-80cm。



Training  
辅助训练



1052

### Handstand Bouncer

Height adjustable between 100 and 150cm Length of low bar 166 cm, adjustable Width

#### 倒立反弹练习器

辅助练习器械，用于进行在杠子上摆、弹倒立、倒立转体的辅助训练，两根弹力杆同样高度，调节范围：100-150cm，配有弹性绳和保护垫，两杆宽度可调节，支撑用的低杠长166cm，杠面为钢管，外表静电喷塑处理。

Training  
辅助训练



1052-1

### Handstand Bouncer

with 1 column

Height adjustable between 100 and 150cm Length of low bar 166 cm, single column.

#### 倒立反弹练习器

单立柱

辅助练习器械，用于进行在杠子上摆、弹倒立等练习，配有一根弹力杆，高度调节范围：100-150cm，配有弹性绳和保护垫，支撑用的低杠长166cm，杠面为钢管，外表静电喷塑处理。

Competition  
专业比赛



1013

### Pommel horse

FIG approved.

The body is made by Plywood , and is wrapped by a special elastic cushioning material and genuine leather. The length of the body is 160cm, the height is adjustable, the range is 90~135cm; The diameter of the ring is 3.4cm, the distance between the two rings is adjustable, the range is 40-45cm, which is made of special wood, and the tensile strength is above 4000N; Electrostatic spray treatment of columns and feet. There is a fixed connection device between the pommel horse and the ground to ensure stability.

#### 鞍马

FIG认证。马身由多层板制成，并由特制的弹性缓冲材料和真皮包裹。马身长度为160cm，高度可调，可调范围为90~135cm；鞍环直径3.4cm，两环间距可调，范围40-45cm，鞍环采用特制木料，抗拉强度达到4000N以上；立柱、底脚等部分金属外表静电喷涂处理。鞍马与地面有固定连接装置，确保稳固。

1058

### Steel Rail

Part of pommel horse, the base made by aluminum, handle made by nylon.

### 鞍马手柄

鞍马器材配件，符合国际体联规定，底座为铝合金材料，把手为高强尼龙，环内压有优质钢管。



1014

### Pommel Horse for Training

Training equipment for pommel horse- the height adjustable range 95-145cm, PU cover.

### 训练鞍马


Pu革面，多层板马身，柔性层是特制的弹力海绵，高度可调95-145cm，鞍环直径3.4cm，马身与地面有固定连接装置，马腿的金属部分外表静电喷涂处理。



Training  
辅助训练

1035 ▶ P46

Landing Mats  
专项垫



1020 1020-1

### Floor Pommel Horse

Length 160cm, Width 35cm, Height 28cm, PU leather.

### 低鞍马

鞍马辅助训练器材，马身长160cm，宽35cm，高28cm。PU革面，柔性层是特制的弹力海绵，多层板马身，配有标准鞍环。



Training  
辅助训练

1023

### Floor BuckHorse with 2 Pommel

Dimensions 83x35x32cm

### 双环鞍马全旋练习器

鞍马辅助训练器材，配双环，环面截面直径3.4cm，尺寸为：83X35X32cm，箱体多层板材料，柔性层是特制的弹力海绵，PU革面。





Training  
辅助训练



1025

### Floor Buck Horse with 1 Pommel

Dimensions 60x35x32cm

#### 单环鞍马全旋练习器

鞍马辅助训练器材，配有一个鞍马环，环面截面直径3.4cm，尺寸为：60X35X32cm，箱体多层板材料，柔性层是特制的弹力海绵，PU革面层。



Training  
辅助训练



1035 ▶ P46

Landing Mats  
专项垫

1033

### Competition Buck

Length 50cm, width 35cm, height 70-90cm, leather cover.

#### 比赛山羊

9-10岁使用比赛山羊，青少年比赛专用，箱体多层板材料，柔性层是特制的弹力海绵，长50cm，宽35cm，高70-90cm，真皮面。



Training  
辅助训练



1051

### Low buck Horse

Length 43cm, Width 30cm, Height 32cm

#### 低山羊

全旋辅助练习器材，由多层板、海绵、PU革制成，长43cm，宽30cm，高32cm，放在地面上使用，适合初学者练习用。



Training  
辅助训练



1022-D

### Competition Mushroom

Diameter 60cm, height adjustment range of 50-60cm, PU leather.

#### 蘑菇山羊

5-6岁使用蘑菇山羊，青少年比赛专用，面层是PU革，直径60cm，高度调节范围为50-60cm。



Training  
辅助训练



1022

### Mushroom

Height: 45cm, Diameter 60cm

#### 蘑菇山羊

全旋辅助练习器材，蘑菇型，直径60cm，高45cm，由PU海绵一次压成，面层是PU革。



Training  
辅助训练



1057-2

### Mushroom with 1 pommel(adjustable)

Height adjustable between 62 and 82cm,  
diameter 58.5cm

#### 升降单环蘑菇山羊

鞍马辅助训练器械，蘑菇型，直径58.5cm，  
中间配有一个鞍马环，环面截面直径3.4cm，  
高度可调62-82cm。

Training  
辅助训练



1092

### Chinese Circle Machine

Diameter 190 cm , Height 77 cm

#### 可旋转蘑菇山羊

用于初学者进行全旋的基本动作练习，面板可  
旋转，面板直径190cm，高77cm。

Training  
辅助训练



3001

### Wall Fixed Mushroom

For training, mushroom diameter 60cm, fixed  
height 250-300cm.

#### 墙挂式蘑菇山羊练习器(可选蘑菇头)


蘑菇头直径60cm，墙面固定高度250-300cm。用于  
全旋辅助练习，适合初学体操人员，由钢索，顶部三  
角形固定架，双轴轴承，及护套组成。

3001

with mushroom  
有蘑菇头



Competition  
专业比赛



1015

### Rings

FIG approved.

Height adjustable range 265 - 295cm, distance between rings is 50cm.

The frame is made by steel pipe with electrostatic spraying treatment , the wooden rings is made by high strength plywood, It has extremely high safety performance.

#### 吊环

FIG认证。吊环高度可调，可调范围为265-295cm；两环中心间距为50cm，框架由钢管制成，金属外表静电喷涂处理；环面由高强度胶合板制成，具有极高的安全性能。



Training  
辅助训练



1016

### Quick Adjustable Rings

Height adjustable between 50 and 280cm

### 训练吊环

吊环辅助训练器材，配有标准的吊环架体，特点是高度调节的范围较大、调节更方便。环索由链条、钢缆、旋转环、织带和木环等制成，吊环支撑架的一侧有固定钢缆和条节高度的固定装置，环面高度可调范围50-280cm。



1122

### Double tension system for ring 吊环双重拉紧装置统

for competition, overall length 870cm

吊环器材配件，比赛型，用于固定吊环的架体，配有链条、花兰螺丝、钢丝绳、钢缆拉紧器、快速接头、钢缆滑轮等组成，每边都有两股钢索，总长度为870cm。



1015-1

### Training rings

Wall fixed, height adjustable between 50 and 275cm

### 墙挂式吊环

吊环辅助训练器材，是固定在墙上的钢制K角架和滑轮等制成，墙面上还有固定钢缆和条节高度的固定钩，环索由链条、钢缆、旋转环、织带和木环等制成，环索的长度可以根据场馆的高度及环面与承重墙的距离定制，环面高度可调范围50-275cm。



1031

### Rings & Cable /set 全套吊环环索

For competition, Steel Cable length 204.7cm

吊环配件，含钢缆、环面、连接带等组成，钢缆长度为204.7cm。适配1015。




1031

### 吊环延长环



Competition  
专业比赛



1030

Rings & Cable /set  
高低杠杠面

1112

Double Tension Rope  
高低杠双重拉紧装置



Training  
辅助训练



1037

### Junior Uneven bars

No need floor anchor to install, the frame length 200cm, width 255cm, width adjustment 60-140cm, low bar height adjustable 140-170cm, high bar height adjustable 210-240cm. with standard women' s bars.

### 少年高低杠

无需预埋件及钢缆,长200cm,宽255cm,宽度调节60-140cm,低杠高度可调140-170cm,高杠高度可调210-240cm。杠面外径4cm,长度240cm,内管为玻璃钢管,外表包耐磨木页。

1038-1 1038-3

### Quick Release Single Bar

with men' sor women' srail and tension system

Height adjustable between 150 and 280cm, stainless pring steel rail without rail cover. diameter 4cm.Center distance 240cm, Easy replace rail cover and adjust height via rapid tensioner.

### 成年多功能独杠

具有高度调节范围大和可以配高低杠杠面的特点,配有标准高低杠杠面,直径4cm,杠中心距240cm,杠面高度可调150-280cm。配有快速松紧器,便于更换杠面、调节高度不用拆卸架体。

### 少年多功能独杠

杠面高度可调150-230cm。

1007

### Competition Unen Bars

FIG Approved.The inner width Between two bars can be adjusted from 130cm to 190cm, the height of the low bar can be adjusted 140-180cm,and the height of the high bar can be adjusted 220 to 260cm. The length of the bars is 240cm, the diameter of the bars is 40mm, the bars made by special composite material pipe and glued with veneer.

### 高低杠

FIG认证。两杠间距可调,可调范围130-190cm,低杠高度可调范围140-180cm,高杠高度可调220-260cm。杠面中心距240cm,杠面外径40mm,内管为玻璃钢管,外表包耐磨木页。

1030

### Fiberglass Rail with Wood Veneer bar

Length 246cm, diameter 4cm, distance between uprights 240cm

### 高低杠杠面

标准高低杠杠面,内管为玻璃钢管,外表高耐磨木页,高度可调范围,杠面长246cm,中心距为240cm,圆形截面,直径4cm。适配型号1007。

1112

### Double tension rope for uneven bar

### 高低杠双重拉紧装置

length 445cm

配置在高低杠器材四边的钢缆等组件,每一边有双股钢缆,用于固定架体、调节杠面弹力的装置,配有链条、花兰螺丝、钢丝绳、钢缆拉紧器、快速接头、钢缆滑轮、卸扣等组成,钢丝绳长度为445cm。

1111-1

### Release move mat for Uneven Bars

### 高低杠杠面缓冲套

Outside diameter: 20cm, inside diameter 4.5cm, length: 120cm. Polyester sponge inside

高低杠防护器材,长度120cm,截面内径4.5cm,外径20cm,外套面料为空气棉,内为25倍以上聚氨酯海绵。

1111

### Safety Pads for Uneven Bar Posts

### 高低杠架体保护套

For protecting uneven bar, low bar length 110cm, width 20cm; high bar length 190cm, width 20cm

高低杠防护用,软性材料包住四个立柱的金属部分,防止运动员使用过程中碰到立柱受伤,面层为高强PVC夹网布,缓冲料为XPE,低杠长度110cm,宽度20cm;高杠长度190cm,宽度20cm。





Competition  
专业比赛



1040 ▶ P65-66

Competition Landing Mats  
平衡木专项垫

1115

Leg Pads for Balance Beam  
平衡木架体保护套



1009

### Competition Balance Beam

Balance Beam: FIG approved, aluminum beam with 5m length, the height of the beam from 90 to 130cm, a special foaming material on the top of beam with 2cm thickness, it ensures the standard rebound and the best shock absorption effect, the cove is made by non-slip artificial leather.

### 平衡木

FIG认证，平衡木梁的长度为5m，平衡木梁高度可调，可调范围为90-130cm；梁面顶部使用的特殊的泡棉材料，厚度2cm，确保了平衡木标准回弹和最佳减震效果，表面覆盖防滑PU革，触感舒适。

可选规格：3.70m

1115

### Leg Pads for Balance Beam 平衡木架体保护套

Thickness 3cm

防护用，柔性材料包住平衡木支架的金属部分，面层为高强PVC夹网布，缓冲料为XPE，厚度3cm。



Training  
辅助训练



1009-P

PU mat for balance beam  
平衡木PU垫

1009-4

### Floor Roll-out Balance Beam

Paired lifting roller stands

Length 250cm, the upper width 15cm, the lower width 24cm, height 8cm, made of foam and PU leather

### 平衡木地面练习器

辅助练习器械，长250cm，上宽15cm，下宽24cm，高8cm，由泡沫材料和人革制成。

1009-P

### PU mat for balance beam

#### 平衡木PU垫

Dimensions: 100 × 100 × 1.5 cm

平衡木训练防护用，正面为PU革，背面为特殊防滑处理的PVC人革，内为25倍聚氨酯海绵，尺寸为100 × 100 × 1.5cm。

1009-P1

### Release layer for balance beam

#### 平衡木缓冲层

PU strip stick with Aluminum beam

特制高密度海绵材料，粘贴平衡木铝合金梁上，是缓冲和反弹材料，适配1009。

1009-P2

### PU cover for balance beam

#### 平衡木外包PU革

PU leather, anti-slip and waterproof.

平衡木外包PU革，防水防滑处理，包在平衡木缓冲层与铝合金梁外。

1144


### Padded Beam Throw Mat

#### 平衡木缓冲垫

Length: 90cm, thickness 4cm

防护用，长90cm，厚度4cm，材料为柔软帆布和海绵，垫子的两端缝有子母扣，使用时合抱在平衡木需要保护的位置。

1118



1118

### Surface Enlargement for Balance Beam

#### 加宽平衡木

Length: 250cm, Width: 15cm

平衡木辅助练习器材，使用时架在平衡木上面，长300cm，宽15cm，胶合板基座，上贴XPE，外包PU革。



Training  
辅助训练



1010

1010-1

1010 1010-1

### Low Training Beam

Length: 300cm, Height 30cm


Length: 500cm, Height 30cm

### 平衡木（3米）

辅助练习器械，截面与标准平衡木铝合金梁一致，长300cm，高度30cm。

### 平衡木（5米）

标准铝合金平衡木梁，包有高密度弹力海绵和防滑PU革，长500cm，高度30cm。



1133

### 落地垫

落地垫（10公分厚）-FIG 通过国际体操联合会FIG认证。落地垫总厚度为10cm，面料为PVC涂塑布，厚度为0.55mm，每平方米克重为600g，抗撕裂强度大于360N，表面压有防滑纹路，耐火等级为M2；落地垫的缓冲材料分两层，上层为特制的XPE缓冲材料，厚度都是6cm，底层是特制的海绵缓冲层，厚度为4cm；该落地垫通过定制材料和特殊的材料复合搭配达到的减震效果和硬度最佳的结合。




1121

### 落地垫

落地垫（20公分厚）-FIG 通过国际体操联合会FIG认证。落地垫总厚度为20cm，面料为PVC涂塑布，厚度为0.55mm，每平方米克重为600g，抗撕裂强度为360N，表面压有防滑纹路，耐火等级为M2；落地垫的缓冲材料分为三层，上下两层为特制的XPE缓冲材料，厚度都是5cm，中间是特制的海绵缓冲层，厚度为10cm；该落地垫通过定制材料和特殊的材料复合搭配达到的减震效果和硬度的完美结合。




1032-1  
Horizontal  
Bar  
单杠



1035  
Pommel  
Horse  
鞍马



1124  
Parallel  
Bars  
双杠




1036  
Rings  
吊环




1039  
Uneven  
Bars  
高低杠



1040  
Balance  
Beam  
平衡木



1032-1  
Vaulting  
Table  
跳马



REFNO 产品编号	Type 类型	Length 长度	Width 宽度	Thickness (mm) A 厚度 (毫米)	mountV 数量	elcro bib 搭扣位置	LW 长 宽
1032-1							
3005		200	100	20			
3006		200	100	20			
3007		300	150	20			
3008		400	200	20			
3007							
3008							
1124							
3009		150	100	20/30			
3010		200	150	20/40			
3011		200	150	20/60			
3009		200	100	20			
3010		300	150	10			
1038							
1217-1		150	100	20			
1217-2							
1039							
1217-2		150	100	20/30			
1217-3		200	100	20			
1217-4		300	150	10			
1217-3		400	200	10			
1217-4		200	100	20			
1040							
1217-4		150	100	20/30			
1217-2		200	100	20			
1217-3		300	150	10			
1217-2		400	200	10			
1217-3		200	100	20			
1217-2		300	150	10			
1032-1							
1217-3		150	100	20/30			
1217-3							
1217-4		200	100	20			
1217-3		200	100	20			
1035							
1217-3		200	100	20			
1217-3		200	100	20			

1068

**Rosin Plate**  
**松香盘**

Athletes can cairu to the rosin plate, so that the sole stained with rosin or magnesium to prevent slipping. plate size of 30 × 30cm, side height 5cm, wear made of hardwood, surface varnish.

训练和比赛用具，可装入镁粉或松香，用于给运动员的鞋地抹上松香和镁粉防滑，长为30×30cm，四边高5cm，耐磨硬木制作而成，外表罩清漆。



1069

**Chalk bowl**  
**镁粉盒**

Lightweight, with carrying handle. Easy for gymnast to wipe chalk in order to skid resistance. The semi circular bowl prevents chalk spillage.

训练和比赛用具，可盛入镁粉，用于给运动员的手抹上镁粉防滑，玻璃钢材料制成粉斗，架体为金属。



1064 1064-1

**Seven, Five Layer Vaulting Box**

Length 122cm, the top width of 38cm, the bottom width of 78cm, the total height of 125cm.

Length 102cm, the top width of 35cm, the bottom width of 64cm, the total height of 105cm.

**七级、五级跳箱**

学校体育器材和体操辅助器材，优质胶合板、海绵和PU革制作而成。

1064

长122cm，上宽38cm，下宽78cm，总高125cm。

1064-1

长102cm，上宽35cm，下宽64cm，总高105cm。



1064



1064-1

1147-1

**Single Wall Bars**

The total width is 116cm. It is made of high quality Manchurian ash plate. 250cm in height and 3.8cm in diameter.

**单联肋木**

身体素质训练器材，优质水曲柳板制作，宽116cm，高250cm，圆棍直径3.8cm。



1147

**Double Wall Bars**

The total width is 216cm. It is made of high quality Manchurian ash plate. Each pair is 100cm in width, 250cm in height and 3.8cm in diameter.

**双联肋木**

身体素质训练器材，总宽216cm，优质水曲柳板制作，每联宽100cm，高250cm，圆棍直径3.8cm。



1120 1120-1

**Parallettes (pair)**

length 70cm height 18.8cm

length 50cm height 18.8cm

**木制倒立架**

辅助训练和素质训练器械，木制杠面，杠面直径4cm。



1020

长70cm，高10.5cm

1020-1

长50cm，高10.5cm

1443

**Gymnastics bench**  
**体操凳**

Wooden bench, length 200cm, width 24cm, height 30cm, foldable. 体操馆用品，木质凳面，凳面长200cm，宽24cm，高30cm，可折叠。



1065 1066

### Gym Block


Dimensions: 75x45x60 cm  
Dimensions: 90x75x60 cm

#### 体操箱

体操辅助训练器材，用于体操的保护、素质训练和辅助练习，外包高强PVC夹网布，内包木箱加XPE柔性层。

1065 尺寸为：75 × 45 × 60cm

1066 尺寸为：90 × 75 × 60cm



1065

1066

1444

### Climbing Ropes 攀爬绳

diameter 3.8cm,with hook end.Length can customized.

身体素质训练器械，直径3.8cm，涤棉材料，配有挂钩。（长度可根据需求定制）




1103

### Transport Trolley for Parallel Bars 体操器械小车

Used for carrying gymnastic equipment, made by high strength plywood, include four wheels

高强度胶合板制作，配有4个万向轮，用于运载体操器械。



1070

### Gym chalker 镁粉

one box of 288pcsx56g, one package of 36boxes

训练和比赛用品，主要用途吸汗防滑，主要成分碳酸镁，呈块状，每盒8块，一箱36盒，每箱共288块。



1055-1

### Protecting Table 保护台

Divided into 5 storeys. Dimensions for each storey  
150 × 60 × 25cm, XPE inside.

运动员保护器材，可放置在单杠、双杠、高低杠一侧的平地上，内衬为较硬的XPE缓冲材料，教练员可以站在上面保护运动员。保护台分为单独5层，教练员可以自行调节适宜的使用高度，也可以拆分并用于压腿等素质练习；每层尺寸为150 × 60 × 25cm，5层总高为125cm。





Training  
辅助训练



K-45

### Boulder Back handspring trainer(S)

Dimension 78 x 50 x 65cm.

#### 小翻练习器 (小号)

尺寸: 78 x 50 x 65cm。适合儿童练习后空翻等动作, 内为泡沫材料, 软硬适中, 外PVC人革。

K-45-P


### Base for Boulder(S)

The Stable base dimension 78 x 50cm.

#### 小翻练习器底座 (小号)

尺寸: 78 x 50 x 19cm。固定产品使用时不产生剧烈的晃动, 内为泡沫材料, 软硬适中, 外PVC人革。

Training  
辅助训练



K-46

### Boulder Back handspring trainer(M)

Dimension 100 x 70 x 87cm.

#### 小翻练习器 (中号)

尺寸: 100 x 70 x 87cm。适合儿童练习后空翻等动作, 内为泡沫材料, 软硬适中, 外PVC人革。

K-46-P

### Base for Boulder(M)

The Stable base dimension 95 x 70cm.

#### 小翻练习器底座 (中号)

尺寸: 95 x 70 x 19cm。固定产品使用时不产生剧烈的晃动, 内为泡沫材料, 软硬适中, 外PVC人革。

Training  
辅助训练



K-47

### Boulder Back handspring trainer(L)

Dimension 116 x 80 x 99cm.

#### 小翻练习器 (大号)

尺寸: 116 x 80 x 99cm。适合儿童练习后空翻等动作, 内为泡沫材料, 软硬适中, 外PVC人革。

K-47-P

### Base for Boulder(L)

The Stable base dimension 104 x 80cm

#### 小翻练习器底座 (大号)

尺寸: 104 x 80 x 19cm。固定产品使用时不产生剧烈的晃动, 内为泡沫材料, 软硬适中, 外PVC人革。

Training  
辅助训练



1055-3

### Ladder Platform

#### 登高台

3 layers, trapezium, top width 60\*60cm, bottom width 75\*75cm, height 90cm, XPE material inside

辅助练习器材, 便于运动员和教练员安全登上较高的运动器械。保护台分3层, 总体呈梯形, 尺寸为(顶面60 x 60+底面75 x 75) x 高度90cm。内为XPE缓冲材料, 使用时需放在平地上, 适用于单杠、双杠、高低杠、吊环等。

Training  
辅助训练



1102-1

### Simple Floor Anchor

#### 简易预埋件

It's for horizontal bar and other need to pull cable use, do not need to dig and pour concrete, using expansion bolt fixed on the ground, only suitable for cement site.

- 训练馆用具, 预埋在场地上用于单杠等需要拉钢索使用
- 只适用于水泥或浇混凝土等不需要挖坑的场地, 采用膨胀螺栓固定在地面上

Training  
辅助训练



1102

### Floor Anchor

#### 地面预埋件

Diameter 5.2cm, height adjustable between 13 and 18cm

训练和比赛用具, 预埋在场地上用于单杠等需要拉钢索使用, 配有铜盖直径5.2cm。地面预埋件的顶盖的高度可调范围: 13-18cm, 超过本范围需要特殊定制。

# Gymnastics for Kids

## 趣味体操

● Equipment for Kids  
快乐体操器械

Training  
辅助训练



K-02

### Happy kids parallel bars

Height adjustable between 1.3 and 1.7m, width adjustable. Rail length 180cm.

### 快乐体操双杠

长1.8米，宽1.8米，调节高度1.3-1.7米，杠面直径3.6cm，外包木页，杠间距可根据不同年龄段的儿童随意调整。

Training  
辅助训练



K-03

### Happy kids horizontal bar

Height adjustable between 1.3 and 1.7m, length of rail 1.80m.

### 快乐体操单杠

长1.8米，宽1.8米，调节高度1.3-1.7米，杠面直径3.6cm，外包木页。

Training  
辅助训练



K-11

### Happy kids Rings

Height adjustable between 120 and 150cm distance between two rings 50cm.

### 快乐体操吊环

长1.8米，宽1.8米，环面离地高度1.3-1.7米，环尺寸同比赛的吊环，环间距50cm。可更换为小木环。

Training  
辅助训练



K-12


### Happy kids Uneven Bars

Low Bar Height adjustable between 90 and 130cm, High Bar Height adjustable between 130 and 170cm. Width adjustable. Rail length 180cm.

### 快乐体操高低杠

长1.8米，宽1.8米，高杠调节高度1.3-1.7米，低杠调节高度0.9-1.3米，杠面直径3.6cm，外包木页。杠距可根据不同年龄段儿童随意调整。

Training  
辅助训练



K-04

### Landing mats Combination of Happy kids gymnastics equipment

356 x 150 x 16cm x 4pcs/set, the core is 28kg/m foam.

#### 快乐体操垫子 (组合用)

共4块, 每块垫子尺寸为356\*150\*20cm, 外部包覆物为人革, 内部填充物为28+/-2kg/m 的海绵

Training  
辅助训练



K-05

### Happy kids foam Vaulting Table

Top width 38cm, bottom width 90cm, length 1.2 m, height of 0.3-1.2 m, the core is PU foam.

#### 快乐跳箱 (软体跳马)

上宽38cm, 下宽90cm, 长度1.2米, 高度0.3-1.2米, 内部填充物为软体材料。

Training  
辅助训练



K-06

### Happy kids spring board (S)

Training aids for kids, dimension 50 x 90 x 16cm, made by high quality plywoodcovered sponge and carpet, 2 pcs springs.

#### 快乐体操入门级助跳板

幼儿体操训练器材, 尺寸为: 50 x 90 x 16cm, 由优质胶合板、弹簧2根、海绵和地毯制成。

Training  
辅助训练



1142

### Small Springboard

Dimensions: 60x101.6x22 cm

#### 小助跳板

幼儿体操训练器材, 尺寸为: 60 x 101.6 x 22cm, 由优质胶合板、弹簧、海绵和地毯制成。

1143

### Spring Board For Kids

Just for kids, dimension 50 x 76 x 16cm, made of high quality plywood, sponge and carpets. Only 2 springs.

#### 入门级助跳板

幼儿体操训练器材, 尺寸为: 50 x 76 x 16cm, 由优质胶合板、弹簧2根、海绵和地毯制成。

Training  
辅助训练



K-07

### Happy kids beam

Trapezoidal cross-section, length 400cm, height 30cm, the top width 20cm and the bottom width 30cm, core is soft PU foam.

#### 快乐体操平衡木

400\*20/30\*30cm, 横截面为梯形, 面层采用软体材料。

Training  
辅助训练



K-09

### Happy kids trampoline

Frame dimension 327 x 327cm, black plastic jumping bed dimension 270 x 270cm, 104 pcs springs. Trampoline height 60cm, the safety net height 180cm.

#### 快乐体操蹦床

网面2.7\*2.7米, 黑纱网, 弹性装置为弹簧, 蹦床离地高度为60cm, 围网高度1.8米。

Kids  
儿童



K-40

### Happy kids mini-tramp (Round)

Frame diameter 101.5mm, height 22cm, with 34 springs, the jumping bed in working condition diameter 77cm, made by plastic material, black.

#### 小圆蹦床

外径101.5mm, 高22cm。网面张力状态下Φ77cm, 材料为黑纱网。配有34根弹簧。





Training  
辅助训练



K-10

### Happy kids foam board

Dimension 60X50X10cm, made by PVC fabric and the core is hard sponge.

#### 软体跳板

软体材料，尺寸60X50X10cm，外部PVC夹网布，内部为硬质海绵。



Training  
辅助训练



K-14

### Happy kids Tent


Length 120cm, bottom width 60cm, top width 15cm, height 50cm.

#### 梯垫

长120cm，下宽60cm，上宽15cm，高50cm，内为25倍硬质海绵，外PVC人革。



Training  
辅助训练



K-13-1

### Happy kids Circle

Outside circle 130cm, inside circle 75cm, width50cm, height 65cm, include A+B 2 half circle parts.

#### 圆环垫

外圆130cm，内圆75cm，宽50cm，高65cm，内为25倍硬质海绵，外PVC人革。分A,B两块，两块为一组。



Training  
辅助训练



K-15

### Happy kids Vault Blocks

Length 120cm, bottom width 90cm, top width 40cm, height 120cm.

#### 梯形堆叠垫

共6块。长120cm，下宽90cm，上宽40cm，高120cm，内上层为4cmXPE，下层为25倍硬质海绵，外PVC人革。



Training  
辅助训练



K-13-2

### Happy kids Cylinder


Dimension  $\phi$  75\*50cm.

#### 饼状垫

$\phi$ 75X50 cm，内为25倍硬质海绵，外PVC人革。



Training  
辅助训练



K-16

### Happy kids adjustable Cylinder

$\phi$ 75X50 cm with gaps.

#### 带缺口饼状垫

共3块。总体尺寸 $\phi$ 75X50 cm，内为25倍硬质海绵，外PVC人革。



Training  
辅助训练



K-17

### Happy kids Teardrop


Length 90cm, width 50cm, height 42cm.

#### 水滴垫

水滴型垫，长90cm，宽50cm，高42cm，可挂在肋木上，内为25倍硬质海绵，外PVC人革。



Training  
辅助训练



K-18

### Happy kids Foldable Rectangle

Include 4 pcs mats of Length 60cm, width 60cm, height 4cm.

#### 立方垫

共4块。可连接成60X60cm，厚度4cm的无上下盖立方体，展开后尺寸60X240X4cm，内为XPE，外PVC人革。



Training  
辅助训练



K-19

### Happy kids Stair

Length 80cm, width 50cm, height 60cm, 3steps, each height 20cm

#### 三阶梯垫

长80cm，宽50cm，总高60cm，分三阶，每阶高20cm，内为25倍硬质海绵，外PVC人革。



Training  
辅助训练



K-20

### Happy kids Vaulting Blocks

Length 120cm, width 60cm, height 20cm\* 1 pc; length 60cm, width 60cm, height 20cm\* 2pcs; length 40cm, width 60cm, height 20cm\* 3pcs.

#### 多功能堆叠垫

共6块。长120cm，宽60cm，高20cm一块；长60cm，宽60cm，高20cm二块；长40cm，宽60cm，高20cm三块。每块内为25倍硬质海绵，外PVC人革。



Training  
辅助训练



K-21

### Happy kids Octagon (large)

Length 80cm, width 45cm, height 45cm.

#### 中型八角柱垫

长80cm，宽45cm，高45cm，内为25倍硬质海绵，外PVC人革。



Training  
辅助训练



K-22

### Happy kids Rectangular

Length 120cm, width 30cm, height 30cm, which can be supporting the use of K-30.

#### 长方形垫

长120cm，宽30cm，高30cm。内为25倍硬质海绵，外PVC人革。可配套K-30使用。



Training  
辅助训练



K-23

### Happy kids Panel mat

Include 4 pcs mats of length 120cm, width 60cm, height 4cm.

#### 彩虹垫

共四块。每块长120cm，宽60cm，高4cm。可折叠成一块长120cm，宽60cm，高16cm的长方体。颜色为红橙黄绿。



Training  
辅助训练



K-26

### Happy kids Wedge (large)


Length 100cm, width 60cm, height 50cm.

#### 儿童三角垫

长100cm，宽60cm，高50cm。内为25倍硬质海绵，外PVC人革。



Training  
辅助训练



K-24

### Happy kids Wedge (small)

Length 150cm, width 80cm, one side's height 40cm, the other side's height 8cm.

#### 长三角垫

长150cm，宽80cm，一端高40cm，一端高8cm，内为25倍硬质海绵，外PVC人革。



Training  
辅助训练



K-27

### Happy kids Rectangular Block (small)

Length 60cm, width 40cm, height 25cm.

#### 儿童长方垫

长60cm，宽40cm，高25cm。内为25倍硬质海绵，外PVC人革。



Training  
辅助训练



K-25

### Happy kids Long half cylinder

Length 100cm, width 40cm, height 20cm.

#### 儿童半圆垫

长100cm，宽40cm，高(R) 20cm。内为25倍硬质海绵，外PVC人革。



Training  
辅助训练



K-28

### Happy kids Stairs (3-steps)

Length 120cm, width 60cm, height 75cm. the height of each stair if 25cm.

#### 儿童三级梯垫

长120cm，宽60cm，总高75cm；分三级，每级高25cm。



Training  
辅助训练



K-29

### Happy kids Stairs (2-steps)

Length 80cm, width 60cm, height 75cm. first stair height 25cm and the second stair height 50cm.

#### 儿童二级梯垫

长80cm, 宽60cm, 一级高25cm, 二级高50cm。内为25倍硬质海绵, 外PVC人革。



Training  
辅助训练



K-32

### Happy kids Octagon (small)


Length 50cm, width 35cm, height 35cm.

#### 小型八角柱垫

长50cm, 宽35cm, 高35cm, 内为25倍硬质海绵, 外PVC人革。



Training  
辅助训练



K-30

### Happy kids Arch (small)

Length 90cm, width 30cm, height 60cm.

#### 儿童U形组合垫

长90cm, 宽30cm, 高60cm。内为25倍硬质海绵, 外PVC人革。



Training  
辅助训练



K-33

### Happy Kids Foldable Wedge

Length 200cm, width 60cm, height 45cm, Foldable Wedge.

#### 儿童可折叠三角垫

共2块。长200cm, 宽60cm, 高45cm; 折叠后成长方形。



Training  
辅助训练



K-31

### Happy kids Rectangular Block (large)


Length 100cm, width 60cm, height 50cm.

#### 儿童长方垫

长100cm, 宽60cm, 高50cm。内为25倍硬质海绵, 外PVC人革。



Training  
辅助训练



K-34

### Happy kids Inflatable Cylinder

φ 50cm, length 220cm.

#### 儿童圆柱垫

规格: 直径50cm, 长220cm。内为充气圆柱, 外PVC人革。





Training  
辅助训练



K-35

### Happy kids Arch (large)


Outside circle 160cm, inside circle 20cm, width 30cm, height 80cm.

#### 儿童中空半圆垫

外圆160cm, 内圆R20cm, 宽30cm, 高80cm。内为25倍硬质海绵, 外PVC人革。



Training  
辅助训练



K-36

### Happy kids Slope

Length 80, width 60cm, height 20cm.

#### 儿童助跳板垫

长80cm, 宽60cm, 高20cm。内为25倍硬质海绵, 外PVC人革。



Training  
辅助训练



K-37

### Happy kids Ramp

Bottom length 100cm, top length 30cm, width 50cm, one side's height 50cm, the other side's height 20cm.

#### 儿童小斜坡垫

下面长100m, 上面长30cm, 宽50cm, 一端高50cm, 另一端高20cm。内为25倍硬质海绵, 外PVC人革。



Training  
辅助训练



K-38

### Happy kids Half Oval

Length 60cm, width 40cm, height 45cm.

#### 儿童带直边半圆垫

长60cm, 宽40cm, 高45cm。内为25倍硬质海绵, 外PVC人革。



Training  
辅助训练



K-39

### Happy kids Vault


Length 100cm, bottom width 80cm, top width 40cm, height 95cm.

#### 鞍马堆叠垫 (4节)

共4块。长100cm, 下宽80cm, 上宽40cm, 高95cm, 内上层为4cmXPE, 下层为25倍硬质海绵, 外PVC人革。最上1节为K-25。



Training  
辅助训练



K-43

### Happy kid running and jumping set

Dimension 70/120\* 635cm, it is include 10 pc jumping strips with different color; each strips size is 80X10X15cm. It can be a good help children practice bounces.

#### 快乐体操跑跳全套

总长度635cm, 由1块底单、1块跳垫和10条跳条组成, 颜色多样。底单为双层人革, 尺寸为70/120X635cm; 跳垫尺寸为80X40X30cm, 外包人革, 内为25倍硬质海绵; 跳条面层采用10种不同颜色的人革, 尺寸为80X10X15cm, 内衬为25倍硬质海绵, 其上端为圆弧, 下端有雄扣条可粘在底单上。



Training  
辅助训练



K-01

### Happy kids floor

Dimension 2 x 12 x 0.03m, can be spliced into large floor, including Velcro.

#### 快乐体操场地

单条2\*12\*0.03米, 可拼接成12\*12米场地, 含雌雄扣、背胶等配件。

# Inflatable Products

## 充气类产品

- AirTrack  
充气垫
- SUP Board  
桨板
- Inflatable Springboard  
充气助跳板



Training  
辅助训练



3003

### Inflatable Pommel/Trampoline

Can be connected to the vault or trampoline, is conducive to increase flexibility, can also be used alone. Size: 1.5x1.5x0.2m

### 跳马/蹦床垫

连接在跳马或小蹦床上，有利于增加弹性，也可单独使用。尺寸：1.5x1.5x0.2m。

Training  
辅助训练



3009 3010 3011

### Inflatable inclined pad

Can be used as jumping mat for mini tramp, Dimension: 1.5x1x0.3m

Can be assembled with other landing mat, Dimension: 2x1.5x0.4m

Can be assembled with other apparatus like asymmetric bars, Dimension: 2x1.5x0.6m

### 充气斜型垫

可用于跳入动作的助跳垫，比如小蹦床。尺寸：1.5x1x0.3m（0.3~0.2）。

可配合其他垫子做助跳垫，比如大的海绵落地垫。尺寸：2x1.5x0.4m（0.4~0.2）。

可配合其他垫子做助跳垫，比如大的海绵落地垫。尺寸：2x1.5x0.6m（0.6~0.2）。

Training  
辅助训练



3004

### Inflatable Springboard

Can be connected to the help springboard, increase flexibility, can also be used alone. Size: 1.2x0.6x0.1m

### 充气助跳板垫

连接在助跳板上，增加弹性，也可单独使用。2. 尺寸：1.2x0.6x0.1m。

Training  
辅助训练



3005 3006 3007 3008

### Inflatable Rectangle Pad

Put on the inflatable pad For tumbling exercise. Dimension: 2x1x0.1m

Put on the inflatable pad For tumbling exercise. Dimension: 2x1x0.2m

Put on the inflatable pad For tumbling exercise. Dimension: 3x1.5x0.1m.

Put on the inflatable pad For tumbling exercise, Dimension: 4x2x0.1m.

### 充气长方形垫

在充气垫上有利于做翻腾动作。尺寸：2x1x0.1m。

在充气垫上有利于做翻腾动作。尺寸：2x1x0.2m。

在充气垫上有利于做翻腾动作。尺寸：3x1.5x0.1m。

可以做落地垫，也可以做翻腾垫。尺寸：4x2x0.1m。

REF NO 产品编号	Type 类型	Length 长度	Width 宽度	Thickness (mm) 厚度 (毫米)	Weight (kg) 重量 (千克)
3005	Inflatable Rectangle pad 充气长方形垫	200	100	10	100
3006		200	100	20	200
3007		300	150	10	200
3008		400	200	10	200
3009	Inflatable inclined pad 充气斜型垫	150	100	30	100
3010		200	150	40	200
3011		200	150	60	200
AT20010-1	Air Track 充气蹦床	100	200	10	
AT20010-20		200			
AT20015-1	Air Track 充气蹦床	100	200	15	
AT20015-20		200			
AT20020-1	Air Track 充气蹦床	100	200	20	
AT20020-20		200			

3012

### Air Pump 充气泵

Regular  
常规。





Competition  
专业比赛




Competition  
专业比赛



1133

Paddle board  
Can be customized

桨板  
规格可根据客户需求定制



1121

Paddle board  
Can be customized

桨板  
规格可根据客户需求定制



CONTACT  
联系方式

Domestic Business  
国内业务

T +86 -572-2590926  
M +86-138 5728 0633  
E jin@gaofeisports.com

International Business  
国际业务

T +86 -572-2590926  
E admin@gaofeisports.com